



BEISSEL
NEEDLE FOR ALL NEEDS

THE A TO Z
OF NEEDLE
SYSTEMS

LOCK STITCH NEEDLE GROUP

Shank DIA = 1.63mm
 Butt to eye length = 33.9mm
 System = DBX1, DBXK5, DBX95,
 DBX257, DBX1738, 16X257, 16X231,
 16X95, 1738, 287WH

Shank DIA = 2.00mm
 Butt to eye length = 33.9mm
 System = DPX5, DPX17, DPX134
 135X5, 135X7, 134, 797

Shank DIA = 2.00mm
 Butt to eye length = 38.9mm
 System = DPX17, 135X17

Shank DIA = 2.00mm
 Butt to eye length = 38.1mm
 System = DPX35 R, 134-35, 2134-35

Shank DIA = 1.63mm
 Butt to eye length = 29.6mm
 System = DAX1, DAX9, 88X1, 88X9, 1128

Shank DIA = 1.83mm
 Butt to eye length = 34.1mm
 System = UOX180G, DB-A27, UY180GYS

Shank DIA = 1.63mm
 Butt to eye length = 33.9mm
 System = DBX287 WKH, 287WKH

ZIG ZAG NEEDLE GROUP

Shank DIA = 2.00mm
 Butt to eye length = 33.9mm
 System = SGX1906, 135X35

Shank DIA = 2.00mm
 Butt to eye length = 33.9mm
 System = DPX2655, 265-5, 438-5

Shank DIA = 2.00mm
 Butt to eye length = 33.9mm
 System = DPX265, 265-50 EO, 438-80
OVERLOCK NEEDLE GROUP

Shank DIA = 2.02mm
 Butt to eye length = 28.6mm
 System = DCX27, DCX1, DCXN 17,
 RMX27, B27, B 27 B, 81X1, 621, MY1023A,
 1886, UY3027GS, 42322

Shank DIA = 2.02mm
 Butt to eye length = 28.6mm
 System = DCX5, RMX29, B29, B29B,
 81X5, UY3029 GS

Shank DIA = 2.02mm
 Butt to eye length = 28.6mm
 System = DMX13, 82X11, 1886 KK

Shank DIA = 1.22mm
 Butt to eye length = 28.6mm
 System = DCX3

Shank DIA = 1.63mm
 Butt to eye length = 33.9mm
 System = M/c 14 U, Baby Lock

CHAIN STITCH NEEDLE GROUP

Shank DIA = 2.00mm
 Butt to eye length = 37.0mm
 System = TVX7, 149X7, MY1002A

Shank DIA = 2.00mm
 Butt to eye length = 38.9mm
 System = TVX3, DVXG9,
 UY 128 GAS, 149X3, MY1044, 1280

Shank DIA = 2.00mm
 Butt to eye length = 47.2mm
 System = TVX5, 149X5

Shank DIA = 2.00mm
 Butt to eye length = 38.6mm
 System = DVX57, 62X57, 5640

Shank DIA = 2.00mm
 Butt to eye length = 41.4mm
 System = DVX59, 62X59

Shank DIA = 2.00mm
 Butt to eye length = 38.9mm
 System = DVX63, B63

Shank DIA = 2.00mm
 Butt to eye length = 36.6mm
 System = TVX64, B64

Shank DIA = 2.00mm
 Butt to eye length = 38.9mm
 System = DVX1, UYX121, 62X21,
 UY121GS, 759, MY1001, 1628

Shank DIA = 2.00 mm
Butt to eye length = 38.9 mm
System = DVX43, 62X43

Shank DIA = 2.00 mm
Butt to eye length = 38.9 mm
System = FLX118A, UY118GAS

BUTTON SEWING NEEDLE GROUP

Shank DIA = 1.75 mm
Butt to eye length = 37.1 mm
System = TQX1, TQX5, 175X1,
175X5, 1985

Shank DIA = 1.63 mm
Butt to eye length = 37.3 mm
System = BQ X1, 108X1, 108X3

Shank DIA = 1.75 mm
Butt to eye length = 41.2 mm
System = TQX3, 173X3, 2018

Shank DIA = 1.75 mm
Butt to eye length = 47.0 mm
System = TQX9, 175X9

Shank DIA = 1.75 mm
Butt to eye length = 47.0 mm
System = TQX7, 175X7, 2091

Shank DIA = 2.00 mm
Butt to eye length = 38.1 mm
System = DPX35K, 134-35K

Shank DIA = 2.00 mm
Butt to eye length = 44.5 mm
System = MT190K, 190K

Shank DIA = 1.75 mm
Butt to eye length = 47.0 mm
System = TQXN14, 2091KK

BLIND STITCH AND FELLING NEEDLE GROUP

Shank DIA = 2.02 mm
System = LWX5T, 251LG, 300,
29 CB, 29-C-300 LG

Shank DIA = 2.02 mm
System = LWX3T, LWX4T, 251,
29CA, 29-C-300, 1715F

Shank DIA = 2.02 mm
System = LWX2T, LWX6T, 29 BL,
29BG, 29-34, 29-49, 2140 TP

Shank DIA = 2.02 mm
System = LWX1669 E, 369=69 E,
1669 E, 2969 E, 1715 E

Shank DIA = 2.02 mm
System = LWXC5, 29 BD, 29-13

Shank DIA = 2.02 mm
System = LWX1T, 29 BC, 29-12

Shank DIA = 2.02 mm
System = LWX7T, 29 BB, 29-6,
29-63, 1717 DC, 1828 E

DOMESTIC NEEDLE GROUP

Shank DIA = 2.03mm

Butt to eye length = 33.9 mm

System = 130 N, 130 MET,

130-705H, 15X1, HAX1

130-705H-J

130-705H-LL

130-705H-LR

130-705H-M

130-705H-Q

130-705H-S

130-705H-SUK

130-705H-E

TWIN NEEDLES

System = 130-705H-E ZWI NE 2.0

130-705H-E ZWI NE 3.0

130-705H-S ZWI NE 2.5

130-705H-S ZWI NE 3.0

130-705H-S ZWI NE 4.0

130-705H-J ZWI NE 4.0

130-705H- ZWII NE 6.0

130-705H- ZWII NE 2.0

130-705H- ZWII NE 2.5

130-705H- ZWII NE 3.0

130-705H- ZWII NE 4.0

130-705H-B RNE 6.0

130-705H-B RNE 8.0

TRIPLE NEEDLES

System = 130-705H-DRI NE 3.0

WING NEEDLES

System = 130-705H-WING

130-705H-ZWIHO

NEEDLE GROUP FOR LEATHER

CLASSIFICATION	POINT STYLES
PF X 134 P	NW (Narrow Wedge) P, Ps
PF X 134 KS	NCR (Narrow Cross) S, Ss
PF X M34 LL	TW (Twist) LL, Lls
PF X 134 LR	RTW (Reverse Twist) LR, Lrs
MT X 134 PCL	NW (Narrow Wedge) P, Ps
MT X 134 PCR	NW (Narrow Wedge) P, Ps
MT X 134 L	TW (Twist) LL, Ls
PF X 34 P	NW (Narrow Wedge) P, Ps
TF X 2	TW (Twist) LL, Lls
TF X 2 LR	RTW (Reverse Twist) LR, Lrs
TF X 4	NW (Narrow Wedge) P, Ps
TT X 6	NW (Narrow Wedge) P, Ps
RTW	(Reverse Twist) LR, Lrs

NEEDLE GROUP FOR LEATHER

CLASSIFICATION	POINT STYLES
DP X 16	NW (Narrow Wedge) P, Ps
DP X 16 LR	R TW (Reverse Twist) LR, Lrs
DP X 16 D	TRI (Triangular) D
DP X 35 P	NW (Narrow Wedge) P, Ps
DP X 35 LR	R TW (Reverse Twist) LR, Lrs
DI X 4	TW (Twist) LL, Lls
DI X 4 LR	R TW (Reverse Twist) LR, Lrs
DD X 2	TW (Twist) LL, Lls
DD X 2 LR	R TW (Reverse Twist) LR, Lrs

Beissel is trusted by the biggest and the best
– in India and 44 countries around the world



Significant cost savings



Quality trusted by leading customers



Exported to all continents



155 quality checks on every needle



Conforms to German DIN standards



Training support and customer care



Useful resources available online



Altek Beissel Needles Limited

3/27, Vandalur Road, Kelambakkam, Kanchipuram District, Tamil Nadu 603 103, India

Phone: (044) 2747 4374, 2747 4832/33, 6745 6488/89 | Fax: (044) 2747 4316

Email: info@beisselneedles.com | Web: www.beisselneedles.com