



THE A TO Z
OF NEEDLE
SYSTEMS

LOCK STITCH NEEDLE GROUP

Shank DIA = 1.63mm
Butt to eye length = 33.9mm
System = DBX1, DBXK5, DBX95,
DBX257, DBX1738, 16X257, 16X231,
16X95, 1738, 287WH

Shank DIA = 2.00mm
Butt to eye length = 33.9mm
System = DPX5, DPX17, DPX134
135X5, 135X7, 134, 797

Shank DIA = 2.00mm
Butt to eye length = 38.9mm
System = DPX17, 135X17

Shank DIA = 2.00mm
Butt to eye length = 38.1mm
System = DPX35 R, 134-35, 2134-35

Shank DIA = 1.63mm
Butt to eye length = 29.6mm
System = DAX1, DAX9, 88X1, 88X9, 1128

Shank DIA = 1.83mm
Butt to eye length = 34.1mm
System = UOX180G, DB-A27, UY180GYS

Shank DIA = 1.63mm
Butt to eye length = 33.9mm
System = DBX287 WKH, 287WKH

ZIG ZAG NEEDLE GROUP

Shank DIA = 2.00mm
Butt to eye length = 33.9 mm
System = SGX1906, 135X35

Shank DIA = 2.00mm
Butt to eye length = 33.9 mm
System = DPX2655, 265-5, 438-5

Shank DIA = 2.00mm
Butt to eye length = 33.9 mm
System = DPX265, 265-50 EO, 438-80 EO

OVERLOCK NEEDLE GROUP

Shank DIA = 2.02mm
Butt to eye length = 28.6 mm
System = DCX27, DCX1, DCXN 17,
RMX27, B27, B 27 B, 81X1, 621, MY1023A,
1886, UY3027GS, 42322

Shank DIA = 2.02mm
Butt to eye length = 28.6 mm
System = DCX5, RMX29, B29, B29B,
81X5, UY3029 GS

Shank DIA = 2.02mm
Butt to eye length = 28.6 mm
System = DMX13, 82X11, 1886 KK

Shank DIA = 1.22mm
Butt to eye length = 28.6 mm
System = DCX3

Shank DIA = 1.63mm
Butt to eye length = 33.9 mm
System = M/c 14 U, Baby Lock

CHAIN STITCH NEEDLE GROUP

Shank DIA = 2.00mm
Butt to eye length = 37.0mm
System = TVX7, 149X7, MY1002A

Shank DIA = 2.00mm
Butt to eye length = 38.9mm
System = TVX3, DVXG9,
UY 128 GAS, 149X3, MY1044, 1280

Shank DIA = 2.00mm
Butt to eye length = 47.2mm
System = TVX5, 149X5

Shank DIA = 2.00mm
Butt to eye length = 38.6 mm
System = DVX57, 62X57, 5640

Shank DIA = 2.00mm
Butt to eye length = 41.4 mm
System = DVX59, 62X59

Shank DIA = 2.00mm
Butt to eye length = 38.9 mm
System = DVX63, B63

Shank DIA = 2.00mm
Butt to eye length = 36.6 mm
System = TVX64, B64

Shank DIA = 2.00mm
Butt to eye length = 38.9 mm
System = DVX1, UYX121, 62X21,
UY121GS, 759, MY1001, 1628

Shank DIA = 2.00mm
Butt to eye length = 38.9 mm
System = DVX43, 62X43

Shank DIA = 2.00mm
Butt to eye length = 38.9 mm
System = FLX118A, UY118GAS

BUTTON SEWING NEEDLE GROUP

Shank DIA = 1.75 mm
Butt to eye length = 37.1 mm
System = TQX1, TQX5, 175X1,
175X5, 1985

Shank DIA = 1.63 mm
Butt to eye length = 37.3 mm
System = BQ X1, 108X1, 108X3

Shank DIA = 1.75 mm
Butt to eye length = 41.2 mm
System = TQX3, I73X3, 2018

Shank DIA = 1.75 mm
Butt to eye length = 47.0 mm
System = TQX9, I75X9

Shank DIA = 1.75 mm
Butt to eye length = 47.0 mm
System = TQX7, I75X7, 2091

Shank DIA = 2.00 mm
Butt to eye length = 38.1 mm
System = DPX35K, 134-35K

Shank DIA = 2.00 mm
Butt to eye length = 44.5 mm
System = MTI90K, 190K

Shank DIA = 1.75 mm
Butt to eye length = 47.0 mm
System = TQXN14, 2091KK

BLIND STITCH AND FELLING NEEDLE GROUP

Shank DIA = 2.02 mm
System = LWX5T, 25ILG, 300,
29 CB, 29-C-300 LG

Shank DIA = 2.02 mm
System = LWX3T, LWX4T, 25I,
29CA, 29-C-300, 1715F

Shank DIA = 2.02 mm
System = LWX2T, LWX6T, 29 BL,
29BG, 29-34, 29-49, 2140 TP

Shank DIA = 2.02 mm
System = LWX1669 E, 369=69 E,
1669 E, 2969 E, 1715 E

Shank DIA = 2.02 mm
System = LWXC5, 29 BD, 29-I3

Shank DIA = 2.02 mm
System = LWX1T, 29 BC, 29-I2

Shank DIA = 2.02 mm
System = LWX7T, 29 BB, 29-6,
29-63, 1717 DC, 1828 E

DOMESTIC NEEDLE GROUP

Shank DIA = 2.03mm

Butt to eye length = 33.9 mm

System = 130 N, 130 MET,

130-705H, 15X1, HAX1

130-705H-J

130-705H-LL

130-705H-LR

130-705H-M

130-705H-Q

130-705H-S

130-705H-SUK

130-705H-E

TRIPLE NEEDLES

System = 130-705H-DRI NE 3.0

WING NEEDLES

System = 130-705H-WING

130-705H-ZWIHO

TWIN NEEDLES

System = 130-705H-E ZWI NE 2.0

130-705H-E ZWI NE 3.0

130-705H-S ZWI NE 2.5

130-705H-S ZWI NE 3.0

130-705H-S ZWI NE 4.0

130-705H-J ZWI NE 4.0

130-705H- ZWII NE 6.0

130-705H- ZWII NE 2.0

130-705H- ZWII NE 2.5

130-705H- ZWII NE 3.0

130-705H- ZWII NE 4.0

130-705H-B RNE 6.0

130-705H-B RNE 8.0

NEEDLE GROUP FOR LEATHER

CLASSIFICATION	POINT STYLES
PF X 134 P	NW (Narrow Wedge) P, Ps
PF X 134 KS	NCR (Narrow Cross) S, Ss
PF X M34 LL	TW (Twist) LL, Lls
PF X 134 LR	RTW (Reverse Twist) LR, Lrs
MT X 134 PCL	NW (Narrow Wedge) P, Ps
MT X 134 PCR	NW (Narrow Wedge) P, Ps
MT X 134 L	TW (Twist) LL, Ls
PF X 34 P	NW (Narrow Wedge) P, Ps
TF X 2	TW (Twist) LL, Lls
TF X 2 LR	RTW (Reverse Twist) LR, Lrs

CLASSIFICATION**POINT STYLES**

TF X 4

NW (Narrow Wedge)
P, Ps

TT X 6

NW (Narrow Wedge)
P, Ps

R TW

(Reverse Twist)
LR, Lrs

DP X 16

NW (Narrow Wedge)
P, Ps

DP X 16 LR

R TW (Reverse Twist)
LR, Lrs

DP X 16 D

TRI (Triangular)
D

DP X 35 P

NW (Narrow Wedge)
P, Ps

DP X 35 LR

R TW (Reverse Twist)
LR, Lrs

DI X 4

TW (Twist)
LL, Lls

DI X 4 LR

R TW (Reverse Twist)
LR, Lrs

DD X 2

TW (Twist)
LL, Lls

DD X 2 LR

R TW (Reverse Twist)
LR, Lrs